



HILL
natural stone

Wall cladding
Mosaic
Parquetry
Pebbles
Paragon



Content

Material and diversity

Wall cladding - a number of colour and design combinations of marble, slate and lava stone wall claddings

Mosaic - irregular mosaic marble stone for indoor as well as outdoor, comes in a wide range of colours

Parquetry - tumbled parquetry mosaic, sizes starts at 1,7x1,7 cm up to 10x20 cm, a full spectra of colours is presented.

Pebbles - round and sliced beach stones

Paragon - design and pattern

Maintainance & service



Material & Diversity

A perfect way to bring a feeling of nature closer to the ones you love.

Marble, slate, limestone and river stone are very durable materials in the sense of their sustainability and long lasting when properly maintained.

Each block that comes out of the mountain or the river bed has its own character, which has been affected by nature for millions of years.

Block selection is based on color, veins and character; at the same time diversity is the beauty and the reason we like natural stone.

We sell natural stone because we are fascinated with character and diversity of the material. It's a privilege to feel, walk on or touch what took millions of years for the Earth to create.

Natural stone is suitable both for indoor and outdoor usage. Install it on your bathroom floor or set a wall of the most amazing wall cladding; the possibilities are infinite.

You can easily combine our models and get a perfect color match.

Combining natural stone with modern tiles is also a perfect way to get a warm feeling of nature.

Wall cladding

Mosaic
Parquetry
Pebbles
Paragon

Content

Wall cladding

Castello - slate finger

Ponti - slate finger

Lombardia - slate panel

Verci - tumbled slate cube

Ottaviano - tumbled lava cube

Corbara - cubix lava panel

Bartelomeo - block lava panel

Viuli - lava finger

Rappalo - tumbled limestone

Olivetto - stack marble finger



Slate stone as wall cladding

Slate is a distinct and truly unique natural stone. It is durable and has extremely low water absorption index, less than 0.4%, which makes it resistant to frost damages.

The character of slate stone allows it to fit into a traditional home interior as well as into a modern ambiance, which will bring a pleasant feeling of nature. Create a rich and sophisticated look in the lounge area with Castello slate wall cladding. Our slate comes in a number of sizes, shapes and colours. Castello is only one of many designs.



Castello

slate finger

40x20 cm, interlock

WB205-22 Black multi colour

Ponti
slate finger
60x20 cm interlock





Lombardia

slate panel

40x20 cm

WB210-22 Black multi colour

Verci

tumbled slate cubes

40x25 cm, interlock



WB200-22 black multi colour
WB200-07 Grey



Borobudur, andesite and lava stone

Borobudur, a Buddhist stupa in the Mahayana tradition, is the largest Buddhist monument in the world. Located on the Indonesian island of Java.

Borobudur was built around 750 AD. The magnificent temple is a three-dimensional mandala (diagram of the universe) and a visual representation of Buddhist teachings.

There is no written record of who built Borobudur or of its intended purpose. The construction time has been estimated by comparison between carved reliefs on the temple's hidden foot and the inscriptions commonly used in royal charters during the eight and ninth centuries.. The construction has been estimated to have taken 75 years and has been completed during the reign of Samaratungga in 825.

For centuries, Borobudur lay was hidden under layers of volcanic ash. The reasons behind the desertion of this magnificent monument still remain a mystery. Some scholars believe that famine caused by an eruption of Mount Merapi forced the inhabitants of Central Java to leave their lands behind in search of a new place to live. When people once again inhabited this area, the glory of Borobudur was buried by lava ash from Mount Merapi.

Some scholars think that this massive monument is a gigantic textbook of Buddhism to help people to achieve enlightenment. To read this Buddhist textbook in stone requires a walk of more than two miles. The walls of the galleries are adorned with impressive reliefs illustrating the life of Buddha Shakyamuni and the principles of his teaching.

Borobudur was rediscovered in 1814 by Sir Thomas Stamford Raffles.

Borobudur is listed by UNESCO as a World Heritage Site."



Corbara
lava block panel
30x30 cm, 6x6 cm

WB208-06 Black

Bartelomeo
lava block panel
40x20 cm, 2,5x2,5 cm





Viuli

finger lava

40x20 cm, interlock



WB203-22 black multi colour

Ottaviano
tumbled lava cube
40x25 cm, interlock



Rapallo

tumbled limestone split

40x25 cm, interlock





Wall cladding

By choosing wall cladding, you get not only a great wall decoration, but hundreds of small individual stones that alter from each other.

A wall set with wall cladding will change its appearance with regards to the light: daytime you will have the chosen wall, but with the first signs of twilight, setting a symphony of downlights creates your own wall, filled with the feeling of light seeping slowly down the wall.

With a water wall in your shower room or spa department, you can create your own relax room. With the sound of trickling water you will be a step closer to harmony and well being.



Olivette

stack marble finger

30x15x1,5 cm interlock

MW123-06 Black

Olivette

stack marble finger

30x15x1,5 cm interlock



MW123-07 Grey

MW123-10 Sunset

MW123-13 Green rough



HILL
natural stone

Wall cladding

Mosaic

Parquetry

Pebbles

Paragon



Content

Mosaic

Morteo - rustic tumbled irregular marble

Burgo - tumbled irregular marble



Morteo

rustic tumbled irregular marble
50x50x1 cm, weave interlock

MW102-07 Grey

Morteo

rustic tumbled irregular marble
50x50x1 cm, weave interlock





Burgo

tumbled irregular marble

30x30 cm, weave interlock

MW100-02 Grey, Black & Cream

Burgo

tumbled irregular marble
30x30 cm, weave interlock



MW100-01 Travertine, Onyx & Cream
MW100-06 Black

MW100-05 Cream
MW100-07 Grey



Wall cladding
Mosaic
Parquetry
Pebbles
Paragon



Content

Pebbles
Liguria

Sliced pebbles
Moroni



Liguria

pebble beach stone

33x33 cm, weave interlock

MW101-15 Grey, Black & White

Liguria

pebble beach stone

33x33 cm, weave interlock



MW101-14 Brown, Grey & White
MW101-16 White

MW101-07 Grey
MW101-06 Black



Moroni

sliced pebble beach stone
33x33 cm, weave interlock

MW105-16 White

Moroni

sliced pebbles beach stone

33x33 cm



MW105-14 Brown, Grey & White
MW105-15 Grey, Black & White

MW105-07 Grey
MW105-06 Grey



HILL
natural stone

Wall cladding
Mosaic
Parquetry
Pebbles
Paragon

Content

Tumbled marble parquetry

Portofino 1,5x3,5 cm

Portofino 1,7x1,7 cm

Portofino 3x3 cm

Portofino 5x5 cm

Portofino 10x10 cm



Portofino

tumbled marble parquetry

30x30 cm 3,5x1,5 cm

MW108-13 Green rough

Portofino

tumbled marble parquetry

30x30 cm 3,5x1,5 cm



random order
available




random order
available



MW108-07 Grey
MW108-02 Black, Grey & Cream
MW108-01 Travertine, Onyx & Cream

MW108-06 Black
MW108-05 Cream



Portofino

tumbled marble parquetry

30x30 cm 1,7x1,7 cm




MW106-05 Cream

MW106-02 Grey, Black & Cream

Portofino

tumbled marble parquetry

30x30 cm, 1,7x1,7 cm



MW106-06 Black
MW106-07 Grey
MW106-06 Green rough

MW106-06 Black, Grey & Cream
MW106-01 Travertine, Onyx & Cream



Portofino

tumbled marble parquetry

30x30 cm, 3x3 cm

MW107-07 Grey



MW107-01 Travertine, Onyx & Cream
MW107-06 Black
MW107-13 Green rough

MW107-02 Black, Grey & Cream
MW107-05 Cream



Portofino

tumbled marble parquetry

30x30 cm, 5x5 cm

MW109-13 Green rough

Portofino

tumbled marble parquetry

30x30 cm, 5x5 cm



MW109-05 Cream

MW109-07 Grey

MW109-02 Black, Grey & Cream

MW109-06 Black

MW109-01 Travertine, Onyx & Cream



Portofino

tumbled marble parquetry

30x30 cm, 5x5 cm

MW109-02 Grey, Black & Cream



MW110-01 Travertine, Onyx & Cream
MW110-06 Black
MW110-13 Green rough

MW110-05 Cream
MW110-07 Grey

Content

Paragon

Ortles - ridge

Umbria - petrified wood



Ortles

ridge panel

30x30 cm, 5x5x1,5 cm

MW112-05 Cream



MW112-06 Black
MW112-13 Green rough

MW112-07 Grey



FAQ

Outdoor & wet area

1:1

Q: Can I use these products outdoor? Will they stand the climate below the freezing point?

A: Yes, they will. However, you must make sure that installation is made according to building regulations. The critical for freezing is still water that expands below freezing point.

Q: Are these products good for shower rooms and wet areas?

A: Yes! They certainly are. Please read the section about impregnation.

Q: Are these products suitable for slippery areas?

A: Most of these products are suitable for slippery areas since very few of our products are high polished. The grout in the concept of mosaic will automatically create an anti slippery surface. By applying stone impregnation, you will also achieve an anti slippery surface

Purchase & appearance

1:2

Q: How many additional m² do I have to purchase to be sure that I can complete the installation?

A. Purchase about 10% extra mosaic than your actual calculation.

Q: Does the stone have a big colour variation?

A: Since this is a natural stone, you should open up all the boxes and check the colour variation, mix them to get an even look before installation.

Pre installation

1:3

Q: The mosaic sheet has interlock (jagged edges), how do I get seamless joints?

A: Before you install the mosaic, please lay out the sheets and try to get the best fit/connection by turning the sheets 45 degrees and push each sheet together. When you are satisfied with the result, mark them up with numbers

FAQ

Q: What else do I have to think of when installing the mosaic, tiles or wall cladding?

A: Before installation make sure you follow national building regulations, especially in wet areas. If you aren't a professional, we strongly recommend you to contact one for advice before installation.

Q: What kind of adhesives shall I use and how long time does it take to dry?

A: Ask your local dealer what adhesives they recommend. Often they can give you professional advice for both adhesives and grout. However, we recommend a light grout.

Installation

1:4

Q: After I have installed the mosaic sheet into the adhesives, how do I fill up the gaps that appear along the side facing the wall or floor?

A: Using a knife easily allows you to cut off single stones from a mosaic sheet and fill up the gaps, which might occur along the walls as a consequence of the interlock design.

Q: Do I have to protect the stones after the mosaic is fixed to the adhesives and before I apply the grout?

A: Once the adhesives are dry, clean up the stone with a moist cloth and leave for drying. Then apply a thin layer of Hill Stone Soap in order to avoid the presence of grout in the stone's pores that will leave unwanted grout spots.

Q: How do I proceed after the Hill Stone Soap is dry?

A: Apply the grout evenly all over the mosaic sheets, then wipe off the excess grout with a sponge and clean water. Remember to clean the sponge constantly through the whole process. The final step is to use a dry cloth, make sure that no unwanted grout is left before you go on to the next step.

Q: What is the next step? I would like to have a doff natural appearance.

A: By using Hill Stone Impregnation you will get a doff look very alike the natural. Hill Stone Impregnation is a good way to protect your stone and make the maintenance easier.

FAQ

Q: If I want to purchase more mosaic of the same colour later, can I be sure that I get the same colour, tone and appearance.

A: The same colour appears differently from batch to batch, also within the same batch the colour can vary.

In general

1:5

In previous FAQ, we mention mosaic sheet, but the same procedure is applied for mosaic, pebbles, tiles and parquetry. For parquetry and tiles you will not have any interlock, you will use tile spacers instead .

Wall cladding

1:6

For wall cladding, we advise you to apply Hill Stone Impregnation before installation; however, if you are skillful and steady on your hand, it might not be necessary. The surface of the wall cladding is distressed and not easy to clean. If you happen to get adhesive on the front of the wall cladding during the installation process, clean it of with water at once, remove the sheet if possible, and clean it.

Most of the wall cladding will do best without grout, but that's an individual choice.

Maintenance

1:7

Hill Stone Impregnation, Hill Vertical Stone Soap and Hill Stone Soap are products sold by Hill Natural Stone. Quality products developed and produced in Sweden.

For further information about Maintenance of mosaic, pebbles, parquetry, wall cladding and basins, PDF's available at www.hillnaturalstone.com



Hill Natural Stone

Gårdhill i Sverige AB
Head office & admin
Ästad 2, SE-432 77 Tvååker - Sweden

Sale, purchase & product office:
Beijerskajen 12a, SE-211 19 Malmö - Sweden
Tel +46 (0)40 6083480 info@hillnaturalstone.com
www.hillnaturalstone.com